

1 Identification

· **Product identifier**

· **Trade name:** **HERCULAN GLP MW { B }**

· **Article number:** 902750/15

· **Application of the substance / the mixture** Coating compound/ Surface coating/ paint

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

HERCULAN B.V.
Energieweg 6
4231 DJ Meerkerk
The Netherlands
Phone +31 183 354700
Fax: +31 183 354740
e-mail: info@herculan.com

· **Information department:** Environmental department

· **Emergency telephone number:**

+49 (0) 6131 19240 [24 h - 365 d] - Giftinformationszentrale Mainz
or
+31 (0) 183 354 700 [Mo - Fr. 8 - 17 o'clock] - HERCULAN

2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS07

Acute Tox. 4 H332 Harmful if inhaled.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.

· **Label elements**

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms** GHS07
· **Signal word** Warning

· **Hazard-determining components of labeling:** Hexamethylene diisocyanate, oligomers
hexamethylene-di-isocyanate
4-isocyanatosulphonyltoluene


· **Hazard statements** H332 Harmful if inhaled.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTER/doctor if you feel unwell.
P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P302+P352 IF ON SKIN: Wash with plenty of water.
P405 Store locked up.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMS-ratings (scale 0 - 4)**

(Contd. on page 2)

Trade name: **HERCULAN GLP MW { B }**

· **Other hazards** - (Contd. of page 1)

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** There are no additional ingredients present which are classified as hazardous to health or the environment and on this basis need to be mentioned in this section.

· **Dangerous components:**

28182-81-2	Hexamethylene diisocyanate, oligomers	Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335	50 - 100%
111109-77-4	dipropylenglycoldimethylether	Flam. Liq. 4, H227	10 - 25%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· **Description of first aid measures**

· **General information:**



Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.
Immediately rinse with water.

· **After eye contact:**



Rinse opened eye for several minutes under running water.

· **After swallowing:**

If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**



CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

· **Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **Advice for firefighters**

Mount respiratory protective device.

· **Protective equipment:**

Do not inhale explosion gases or combustion gases.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Not required.

· **Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

(Contd. on page 3)

Trade name: **HERCULAN GLP MW { B }**

(Contd. of page 2)

· **Reference to other sections** See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· **Handling:**
· **Precautions for safe handling** No special measures required.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Protect from frost.
Keep receptacle tightly sealed.
Store in dry conditions.
Store in a cool place.

· **Specific end use(s)** No further relevant information available.


8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.


· **Control parameters**
· **Components with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**
· **Personal protective equipment:**
· **General protective and hygienic measures:** Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Do not eat, drink, smoke or sniff while working.

· **Breathing equipment:**  Only during spraying without adequate removal by suction.
Use suitable respiratory protective device in case of insufficient ventilation.
Use suitable respiratory protective device when high concentrations are present.

· **Recommended filter device for short term use:** Combination filter A-P2

· **Protection of hands:**  Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves** The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.


(Contd. on page 4)


Trade name: **HERCULAN GLP MW { B }**

(Contd. of page 3)

· **Penetration time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **As protection from splashes gloves made of the following materials are suitable:** Nitrile rubber, NBR
Natural rubber, NR

· **Eye protection:**  Tightly sealed goggles

· **Body protection:**  Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**
· **General Information**
· **Appearance:**
· **Form:** Fluid
· **Color:** According to product specification
· **Odor:** Characteristic
· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**
· **Melting point/Melting range:** Undetermined.
· **Boiling point/Boiling range:** >150 °C (>302 °F)

· **Flash point:** 161 °C (322 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:**
· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**
· **Lower:** Not determined.
· **Upper:** Not determined.

· **Vapor pressure at 20 °C (68 °F):** 0.7 hPa (1 mm Hg)

· **Density at 20 °C (68 °F):** 1.09674 g/cm³ (9.152 lbs/gal)
· **Relative density** Not determined.
· **Vapor density** Not determined.
· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**
· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**
· **Dynamic:** Not determined.
· **Kinematic:** Not determined.

· **Solvent content:**
· **Organic solvents:** 0.0 %

(Contd. on page 5)

Trade name: **HERCULAN GLP MW { B }**

(Contd. of page 4)

Water:	0.0 %
Solids content:	84.6 %
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity	No further relevant information available.
Chemical stability	
Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
Possibility of hazardous reactions	No dangerous reactions known.
Conditions to avoid	No further relevant information available.
Incompatible materials:	No further relevant information available.
Hazardous decomposition products:	No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects	
Acute toxicity:	
Primary irritant effect:	
on the skin:	No irritant effect.
on the eye:	No irritating effect.
Sensitization:	Sensitization possible through skin contact.
Additional toxicological information:	The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant
Carcinogenic categories	
IARC (International Agency for Research on Cancer)	None of the ingredients is listed.
NTP (National Toxicology Program)	None of the ingredients is listed.
OSHA-Ca (Occupational Safety & Health Administration)	None of the ingredients is listed.

12 Ecological information

Toxicity	
Aquatic toxicity:	No further relevant information available.
Persistence and degradability	No further relevant information available.
Behavior in environmental systems:	
Bioaccumulative potential	No further relevant information available.
Mobility in soil	No further relevant information available.
Additional ecological information:	
General notes:	Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Results of PBT and vPvB assessment	
PBT:	Not applicable.
vPvB:	Not applicable.
Other adverse effects	No further relevant information available.

-US-

(Contd. on page 6)

Trade name: **HERCULAN GLP MW { B }**

(Contd. of page 5)

13 Disposal considerations

Waste treatment methods	
Recommendation:	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Uncleaned packagings:	
Recommendation:	Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

14 Transport information

UN-Number	
DOT, ADR, ADN, IMDG, IATA	Void
UN proper shipping name	
DOT, ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA	
Class	Void
Packing group	
DOT, ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Void

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture	
Sara	
Section 355 (extremely hazardous substances):	None of the ingredient is listed.
Section 313 (Specific toxic chemical listings):	822-06-0 hexamethylene-di-isocyanate
TSCA (Toxic Substances Control Act):	All ingredients are listed.
Proposition 65	
Chemicals known to cause cancer:	None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for females:	None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for males:	None of the ingredients is listed.
Chemicals known to cause developmental toxicity:	None of the ingredients is listed.

-US-

(Contd. on page 7)

Trade name: **HERCULAN GLP MW { B }**

(Contd. of page 6)

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms

GHS07

· Signal word

Warning

· Hazard-determining components of labeling:

Hexamethylene diisocyanate, oligomers

hexamethylene-di-isocyanate

4-isocyanatosulphonyltoluene

· Hazard statements

H332 Harmful if inhaled.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P363 Wash contaminated clothing before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Technical instructions (air):

Class	Share in %
I	0.5

· Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

· VOC

· VOC EU [%]

0.00 %

· VOC USA

0.0 g/l / 0.00 lb/gl

· VOC CH

0.00 %

· Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Environmental Department

· Contact:

Dr. Michael Kissel

· Date of preparation / last revision

08/03/2016 / 14

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)

US

Trade name: **HERCULAN GLP MW { B }**

(Contd. of page 7)

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 4: Flammable liquids – Category 4
Acute Tox. 4: Acute toxicity – Category 4
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· * Data compared to the previous version altered.

US